Ningbo Baichen Medical Devices Co., Ltd

www.bcwheelchair.com / www.baichen.ltd

Attn: Alan Wu
Phone / WhatsApp / Wechat: +86 15158388666
Email: alan@baichen.ltd
Address: No.666 Taikang Middle Road, Southern Business District, Ningbo City, Zhejiang Province, China 315100

Remark:
1. MOQ: 1set(In order to facilitate customers to confirm the quality of the product and some details. We will deduct the cost of the sample from the future order.)
2. Terms of Payment: Alibaba,Company bank T/T, Western Union. Order need pay 30% deposit, the rest should be paid before shipping.
3. Delivery Time: Sample can send out in 1-2 working days, 15-20 working days for one full container.

No.	Item	BC-EA5521	BC-EA8000	BC-EA8000B	BC-EA8000F	BC-EA8000R	BC-EA7001	BC-EA7001MR	BC-EA530M	BC-EA530MF	BC-EA530C	BC-EA530X
	Photo H.S Code: 8713900000											
		Top 1 Promotional products	USA Market Top 1		Fully automatic folding	Automatic reclining backrest	With travel rod	With travel rod+ Manual reclining		Fully automatic folding	Best performance model	Double plug-in battery
	Sample Price	$530.00	$520.00	$610.00	$600.00	$610.00	$525.00	$537.00	$570.00	$690.00	$920.00	$980.00
	20GP	$435.00	$420.00	$450.00	$490.00	$485.00	$425.00	$439.00	$450.00	$520.00	$530.00	$880.00
	40HQ	$395.00	$379.00	$410.00	$450.00	$445.00	$385.00	$399.00	$410.00	$480.00	$490.00	$838.00
	Remote Contorl	$15.00	$15.00	$15.00	$15.00	$15.00	$15.00	$15.00	$15.00	$15.00	/	$15.00
	Container Loading Quantity 20GP / 40HQ Set	105 / 255	105 / 255	105 / 255	105 / 255	90 / 220	105 / 255	90 / 220	105 / 255	105 / 255	105 / 255	105 / 255
	Frame material	Upgrade magnesium aluminum alloy	Upgrade magnesium aluminum alloy	Upgrade magnesium aluminum alloy	Upgrade magnesium aluminum alloy	Upgrade magnesium aluminum alloy	aluminium alloy	aluminium alloy	aluminium alloy	aluminium alloy	Upgrade magnesium aluminum alloy	aluminium alloy
1	Motor	Upgrade aluminum alloy 300W*2 Brush	Upgrade aluminum alloy 300W*2 Brush	Upgrade aluminum alloy 300W*2 Brushless	Upgrade aluminum alloy 300W*2 Brush	Upgrade aluminum alloy 300W*2 Brush	Upgrade aluminum alloy 300W*2 Brush	Upgrade aluminum alloy 300W*2 Brush	250W*2 Brush	250W*2 Brush	High performance 250W*2 Brushless	250W*2 Brushless
2	Battery	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 6.6Ah*2 Lithium
3	Charger(Can customize different standard plugs)	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V
4	Controller	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	360° Joystick
5	Max Loading	140KG	140KG	140KG	140KG	140KG	130KG	130KG	130KG	130KG	130KG	130KG
6	Charging Time	4-6h	4-6h	4-6h	4-6h	4-6h	4-6h	4-6h	4-6h	4-6h	4-6h	4-6h
7	Forward Speed	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-6km/h	0-6km/h	0-8km/h	0-6km/h
8	Reverse Speed	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-8km/h	0-6km/h	0-6km/h	0-8km/h	0-6km/h
9	Turning Radius	60cm	60cm	60cm	60cm	60cm	55cm	55cm	60cm	60cm	57cm	60cm
10	Climbing Ability	≤15°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°
11	Driving Distance	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	22-27km	20-25km
12	Seat	W46*L45*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W45*L45*T7cm	W45*L45*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm
13	Backrest	W44*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W42*H39*T3cm	W42*H39*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm
14	Front Wheel	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)
15	Rear Wheel	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	10inch(solid)	10inch(solid)	10inch(solid)	12inch(pneumatic)
16	Size(Unfolded)	110*63*96cm	110*63*96cm	110*63*96cm	110*63*96cm	110*63*96cm	100*63*96cm	100*63*96cm	97*61*95cm	97*60*95cm	92*57*94cm	97*63*94cm
17	Size(Folded)	63*37*75cm	63*37*75cm	63*37*75cm	63*37*75cm	63*37*75cm	60*37*75cm	60*37*75cm	63*37*75cm	63*37*75cm	56*92*35cm	63*34*79cm
18	Packing Size	68*48*83cm	68*48*83cm	68*48*83cm	68*48*83cm	70*53*87cm	68*48*83cm	68*55*88cm	65*40*79cm	65*40*79cm	67*47*83cm	70*44*90cm
19	G.W.	32KG	32KG	31KG	33KG	35KG	32KG	35KG	30KG	32KG	29KG	35KG
20	N.W.(with battery)	26KG	26KG	25KG	27.5KG	28KG	26KG	27KG	25.5KG	27.5KG	24.5KG	24.5KG
21	N.W.(without battery)	23KG	23KG	22KG	26.5KG	27KG	23KG	26KG	23.5KG	25.5KG	21KG	21.5KG

No.	Item	BC-EA630B	BC-EA8001	BC-EA8001B	BC-EA120	BC-EALD3	BC-EA5515A	BC-EA5516	BC-ES6001	BC-ES6001A	BC-ES600102	BC-ES660(24inch)
Photo H.S Code: 8713900000												
				Lightweight+High performance	Carbon fiber water transfer printing technology	ONLY 16KG	Top 2 Carbon fibre		Classic style	Classic + shock-absorbing spring	Alloy rear wheel	Upgrade aluminum alloy 24 inc wheel
EXW (Sample Price)		$730.00	$490.00	$535.00	$550.00	$450.00	$1,280.00	$450.00	$300.00	$310.00	$320.00	$360.00
20GP		$680.00	$458.00	$488.00	$500.00	$399.00	$1,080.00	$399.00	$267.00	$275.00	$286.00	$325.00
40HQ		$636.00	$425.00	$455.00	$465.00	$370.00	$1,050.00	$370.00	$247.00	$255.00	$265.00	$300.00
Remote Contorl		$15.00	/	/	$10.00	/	/	/	/	/	/	/
Container Loading Quantity 20GP / 40HQ Set		105 / 255	140 / 340	140 / 340	145 / 350	150 / 362	175 / 425	132 / 310	95 / 225	95 / 225	95 / 225	75 / 180
Frame material		aluminium alloy	aluminium alloy	aluminium alloy	Carbon fiber water transfer printing technology	Upgrade magnesium aluminum alloy	Carbon fiber material	Upgrade magnesium aluminum alloy	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel
1	Motor	250W*2 Brushless	180W*2 Brushless	250W*2 Brushless	250W*2 Brush	190W*2 Brushless	250W*2 Brushless	180W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush
2	Battery	24V 12Ah Lithium	24V 6Ah Lithium	24V 6Ah Lithium	24V 10h Lithium	24V 10Ah Lithium	24V 12Ah Lithium	24V 6Ah Lithium	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid
3	Charger(Can customize different standard plugs)	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V
4	Controller	360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick
5	Max Loading	130KG	120KG	100KG	140KG	110KG	150KG	110KG	130KG	130KG	130KG	130KG
6	Charging Time	6-8h	4-6h	4-6h	4-6h	5-7h	5-7h	5-7h	6-8h	6-8h	6-8h	6-8h
7	Forward Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
8	Reverse Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
9	Turning Radius	60cm	55cm	55cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm
10	Climbing Ability	≤13°	≤12°	≤12°	≤12°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°
11	Driving Distance	20-25km	15-18km	15-18km	20-25km	15-20km	22-27km	15-20km	20-25km	20-25km	20-25km	20-25km
12	Seat	W46*L46*T7cm	W46*L38*T1.5cm	W46*L46*T7cm	W46*L46*T7cm	W45*L45*T5cm	W45*L45*T5cm	W45*L45*T5cm	W44*L50*T2cm	W44*L50*T4cm	W44*L50*T4cm	W44*L50*T2cm
13	Backrest	W43*H40*T3cm	W43*H45*T2cm	W43*H40*T4cm	W43*H40*T4cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W44*H40*T2cm	W44*H40*T4cm	W44*H80*T4cm	W44*H40*T2cm
14	Front Wheel	8inch(solid)	8inch(solid)	8inch(solid)	8inch(honeycomb)	8inch(solid)	8inch(solid)	8inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)
15	Rear Wheel	12inch(solid)	10inch(solid)	10inch(solid)	10inch(honeycomb)	12inch(solid)	10inch(solid)	12inc(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	24inch(pneumatic)
16	Size(Unfolded)	93*60*95cm	94*56*85cm	94*56*85cm	100*60*92cm	92*60*93cm	85*59*95cm	94*58*93cm	115*65*95cm	115*65*95cm	115*65*95cm	120*67*100cm
17	Size(Folded)	63*34*79cm	86*33*77cm	86*33*77cm	60*78*31cm	54*32*89cm			82*40*71	82*40*71cm	82*40*71cm	84*50*75cm
18	Packing Size	67*48*86cm	77*33*79cm	77*33*79cm	65*37*79cm	58*34*93cm	63*33*77cm	64*39*85cm	85*43*78cm	85*43*78cm	85*43*78cm	95*48*78cm
19	G.W.	29KG	26.5KG	26KG	28KG	21KG	24KG	24KG	50KG	50KG	50KG	50KG
20	N.W.(with battery)	23KG	22.5KG	22KG	25KG	16KG	19.5KG	20KG	46KG	48KG	48KG	47KG
21	N.W.(without battery)	21KG	20.5KG	20KG	23KG	14.8KG	17.5KG	18KG	36KG	38KG	38KG	37KG

No.	Item	BC-ES660(22inch)	BC-ES560	BC-ES580	BC-ES6003	BC-ES6003A	BC-ES660Q	BC-ES680M	BC-ES6002	BC-ES600202	BC-ES600203	BC-ES6011
Photo H.S Code: 8713900000												
					Classic high back reclining	High back reclining + shock absorption spring		All electric control				
EXW (Sample Price)		$310.00	$310.00	$310.00	$330.00	$350.00	$350.00	$480.00	$330.00	$340.00	$340.00	$350.00
20GP		$275.00	$275.00	$275.00	$335.00	$345.00	$345.00	$420.00	$286.00	$289.00	$296.00	$315.00
40HQ		$255.00	$255.00	$255.00	$275.00	$285.00	$285.00	$388.00	$265.00	$268.00	$275.00	$290.00
Remote Contorl		/	/	/	/	/	/	/	/	/	/	
Container Loading Quantity 20GP / 40HQ Set		95 / 225	95 / 225	95 / 225	80 / 192	80 / 192	80 / 192	80 / 192	96 / 231	83 / 199	83 / 199	104 / 249
Frame material		High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel	High strength carbon steel
1	Motor	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush
2	Battery	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid
3	Charger(Can customize different standard plugs)	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V
4	Controller	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	Import 360° Joystick
5	Max Loading	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG
6	Charging Time	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h
7	Forward Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
8	Reverse Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
9	Turning Radius	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm
10	Climbing Ability	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°
11	Driving Distance	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km
12	Seat	W44*L50*T2cm	W44*L50*T2cm	W44*L50*T2cm	W44*L50*T4cm	W44*L50*T4cm	W44*L50*T4cm	W44*L50*T4cm	W44*L50*T4cm	W44*L48*T4cm	W44*L48*T4cm	W44*L47*T2cm
13	Backrest	W44*H40*T2cm	W44*H40*T2cm	W44*H40*T2cm	W44*H80*T4cm	W44*H80*T4cm	W44*H80*T4cm	W44*H80*T4cm	W44*H80*T4cm	W44*H40*T4cm	W44*H40*T4cm	W44*H40*T2cm
14	Front Wheel	10inch(solid)	8inch(solid)	16inch(pneumatic)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	16inch(pneumatic)	10inch(solid)	10inch(solid)
15	Rear Wheel	22inch(pneumatic)	12inch(pneumatic)	10inch(solid)	16inch(pneumatic)	16inch(pneumatic)	22inch(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	10inch(solid)	24inch(pneumatic)	16inch(pneumatic)
16	Size(Unfolded)	115*65*95cm	115*65*95cm	115*65*95cm	122*65*128cm	122*65*128cm	122*65*128cm	122*65*128cm	119*68*95cm	119*68*95cm	119*68*95cm	115*65*92cm
17	Size(Folded)	84*40*70cm	80*40*66cm	92*45*72cm	82*40*71cm	82*40*71cm	84*40*70cm	82*40*71cm	88*39*79cm	88*39*79cm	88*39*79cm	82*38*69cm
18	Packing Size	85*43*78cm	85*43*78cm	85*43*78cm	87*48*80cm	87*48*80cm	87*47*80cm	87*47*80cm	85*41*81cm	92*43*83cm	92*43*83cm	84*40*83.5CM
19	G.W.	50KG	50KG	50KG	53KG	53KG	54KG	55KG	42KG	42KG	42KG	40KG
20	N.W.(with battery)	46KG	42KG	45KG	49KG	49KG	49KG	50KG	38KG	38KG	38KG	36KG
21	N.W.(without battery)	36KG	32KG	35KG	39KG	39KG	39KG	40KG	34KG	34KG	34KG	32KG

Note:

1. Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. These specifications can be subject to a variance of (+/- 10%).
2. Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of (+/- 3%).

Accessories	Headrest(upgrade)	Remote Control	Shopping Basket	Shopping Basket	Cup Holder	Phone Holder	USB + light Module	Travel Bag	Thickened Cushion	Rear Seat	Rear Seat(foldable)
											
Price(USD)	$45.00	$35.00	$25.00	$10.00	$5.00	$5.00	$20.00	$30.00	$60.00	$60.00	$120.00
Applicable model	All model Except BC-ES6003, BC-ES6003A, BC-ES660Q, BC-ES680M, BC-EA09, BC-EA10	BC-EA8000, BC-EA530C, BC-EA530M	All aluminum model (Model No with EA)	All model	All model	All model	All model Except BC-EALD3, BC-EA106, BC-EA6029, BC-EA108, BC-EATL1, BC-EA5513, BC-EA530X	All model	All model	All model Need add shipping cost	All model Need add shipping cost

Upgrade Battery & Motor & function	2pcs 6.6Ah Battery (lithium)	20Ah Battery (lithium)	Honeycomb wheel	Color
ADD Price(USD)	$68.00	$75.00	$10.00	All model Red , Black , Golden , Yellow , Blue and others color can be Customer customization Request : MOQ (Contact us)
Applicable model	BC-EA8000, BC-EA530C, BC-EA530M	BC-EA8000, BC-EA530C, BC-EA530M	All aluminum model (Model No with EA)	

Baichen
宁波百辰医疗器械有限公司
Ningbo Baichen Medical Devices Co., Ltd

宁波百辰医疗器械有限公司

MAJESTIC