

Attn: Jack Zhang
Phone / WhatsApp / Wechat: +86 17606577873
Email: jack@baichen.ltd
Address: No.666 Taikang Middle Road, Southern Business District, Ningbo City, Zhejiang Province, China 315100

Remark:
1. MOQ: 1set(In order to facilitate customers to confirm the quality of the product and some details. We will deduct the cost of the sample from the future order.)
2. Terms of Payment: Alibaba, Company bank T/T, Western Union. Order need pay 30% deposit, the rest should be paid before shipping.
3. Delivery Time: Sample can send out in 1-2 working days, 15-20 working days for one full container.


No.	Item	BC-EA8000	BC-EA8000B	BC-EA8000F	BC-EA8000R	BC-EA530X	BC-EA630B	BC-EA530M	BC-EA5513	BC-EA530C	BC-EA108	BC-EA6029
	Photo H.S Code: 8713900000											
		Top 1 USA Amazon Top 2	Brushless model	Fully automatic folding	Automatic reclining backrest	USA Amazon Top 5	High-end brushless		Below 20KG		Below 20KG	
	EXW (Sample Price)	\$520.00	\$610.00	\$600.00	\$610.00	\$980.00	\$730.00	\$570.00	\$690.00	\$920.00	\$500.00	\$480.00
	Container Loading Quantity 20GP / 40GP / 40HQ Set	100 / 210 / 245	100 / 210 / 245	100 / 210 / 245	100 / 210 / 245	99 / 205 / 240	100 / 210 / 240	130 / 265 / 310	135 / 275 / 325	100 / 210 / 245	180 / 370 / 435	105 / 215 / 250
	FOB Tianjin / Shanghai 20GP / 40GP / 40HQ Set	\$500 / \$480 / \$460	\$590 / \$570 / \$550	\$580 / \$560 / \$540	\$590 / \$570 / \$550	\$900 / \$880 / \$860	\$640 / \$620 / \$600	\$535 / \$515 / \$495	\$660 / \$640 / \$620	\$900 / \$880 / \$860	\$470 / \$450 / \$435	\$450 / \$435 / \$420
1	Motor	Upgrade aluminum alloy 500W Brush	Upgrade aluminum alloy 500W Brushless	Upgrade aluminum alloy 500W Brush + 150W	Upgrade aluminum alloy 500W Brush + 150W	250W*2 Brushless	250W*2 Brushless	250W*2 Brush	250W*2 Brushless	250W*2 Brushless	250W*2 Brush	300W*2 Brushless
2	Battery	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 6.6Ah*2 Lithium	24V 12Ah Lithium	24V 12Ah Lithium	24V 6.6Ah*2 Lithium	24V 12Ah Lithium	24V 6Ah Lithium	24V 6Ah Lithium
3	Charger(Can customize different standard plugs)	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V
4	Controller	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick
5	Max Loading	130KG	130KG	130KG	130KG	130KG	130KG	125KG	120KG	120KG	105KG	110KG
6	Charging Time	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	4-6h	4-6h
7	Forward Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
8	Reverse Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
9	Turning Radius	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	55cm	60cm
10	Climbing Ability	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤12°	≤13°	≤10°	≤12°
11	Driving Distance	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	10-15km	10-15km
12	Seat	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W43*L42*T7cm	W46*L46*T7cm	W39*L36*T4cm	W46*L45*T9cm
13	Backrest	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W43*H40*T3cm	W36*H35*T2cm	W43*H40*T3cm	W42*H38*T2cm	W44*H42*T6cm
14	Front Wheel	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	6inch(solid)	8inch(solid)
15	Rear Wheel	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	12inc(pneumatic)	12inch(pneumatic)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	8inch(solid)	10inch(solid)
16	Size(Unfolded)	110*63*96cm	110*63*96cm	110*63*96cm	110*63*96cm	97*63*94cm	93*60*95cm	97*61*95cm	92*60*90cm	97*61*95cm	96*58*84cm	99*62*90cm
17	Size(Folded)	63*37*75cm	63*37*75cm	63*37*75cm	63*37*75cm	63*34*79cm	63*34*79cm	63*37*75cm	57*35*82cm	63*37*75cm	54*32*72cm	92*32*73cm
18	Packing Size	68*48*83cm	68*48*83cm	68*48*83cm	68*48*83cm	70*44*90cm	67*48*86cm	65*40*79cm	61*38*87cm	65*40*79cm	58*35*75cm	96*33*79cm
19	G.W.	35KG	32KG	38KG	33KG	35KG	29KG	30KG	27KG	28KG	20KG	28KG
20	N.W.(with battery)	26KG	25KG	27.5KG	28KG	24.5KG	23KG	25.5KG	23KG	24KG	18KG	25KG
21	N.W.(without battery)	24KG	22KG	26.5KG	27KG	21.5KG	21KG	23.5KG	19.5KG	21KG	16.5KG	24KG

No.	Item	BC-EA106	BC-EALD3	BC-EA6000	BC-EA08	BC-EA09	BC-EA10	BC-ES6001	BC-ES6001A	BC-ES660(24inch)	BC-ES660(22inch)	BC-ES560
Photo H.S Code: 8713900000												
		With tie rod	Below 20KG	Hot selling	Electric backrest reclining	Fully automatic folding and electric backrest reclining	Electric adjustment, large cross-country wheelchair	Classic style	Classic + shock-absorbing spring	Upgrade aluminum alloy 24 inc wheel	Classic 24 inc wheel style	Classic 12 inc style
EXW (Sample Price)		\$490.00	\$498.00	\$640.00	\$1,180.00	\$1,330.00	\$3,200.00	\$300.00	\$310.00	\$360.00	\$310.00	\$310.00
Container Loading Quantity 20GP / 40GP / 40HQ Set		128 / 263 / 305	150 / 308 / 362	110 / 225 / 265	102 / 208 / 245	90 / 185 / 215	80 / 164 / 190	95 / 190 / 225	95 / 190 / 225	75 / 150 / 180	95 / 190 / 225	95 / 190 / 225
FOB Tianjin / Shanghai 20GP / 40GP / 40HQ Set		\$460 / \$440 / \$420	\$480 / \$468 / \$430	\$630 / \$610 / \$590	\$1150 / \$1120 / \$1090	\$1300 / \$1270 / \$1240	\$3150 / \$3100 / \$3050	\$290 / \$280 / \$270	\$300 / \$290 / \$280	\$350 / \$340 / \$330	\$300 / \$290 / \$285	\$300 / \$290 / \$285
1	Motor	200W*2 Brushless	190W*2 Brushless	250W*2 Brush	150W*2 Brush	150W*2 Brush	200W / 320W Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush
2	Battery	24V 6Ah*2 Lithium	24V 10Ah Lithium	Import 24V 12Ah Lithium	24V 18Ah Lithium	24V 18Ah Lithium	24V 33Ah Lithium	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid
3	Charger(Can customize different standard plugs)	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V
4	Controller	360° Joystick	360° Joystick	Import 360° Joystick	Import 360° Joystick	Import 360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick
5	Max Loading	120KG	120KG	130KG	130KG	130KG	150KG	130KG	130KG	130KG	130KG	130KG
6	Charging Time	5-7h	5-7h	5-6h	6-8h	6-8h	8-10h	6-8h	6-8h	6-8h	6-8h	6-8h
7	Forward Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
8	Reverse Speed	0-6km/h	0-6km/h	0-6km/h	2.5km/h	2.5km/h	2.5km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
9	Turning Radius	60cm	60cm	60cm	60cm	60cm	70cm	60cm	60cm	60cm	60cm	60cm
10	Climbing Ability	≤12°	≤13°	≤12°	≤15°	≤15°	≤12°	≤13°	≤13°	≤13°	≤13°	≤13°
11	Driving Distance	20-25km	15-20km	20-25km	20-25km	20-25km	35-40km	20-25km	20-25km	20-25km	20-25km	20-25km
12	Seat	W46*L38*T1.5cm	W45*L45*T5cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W46*L46*T7cm	W44*L50*T2cm	W44*L50*T4cm	W44*L50*T2cm	W44*L50*T2cm	W44*L50*T2cm
13	Backrest	W43*H45*T2cm	W43*H40*T3cm	W43*H40*T4cm	W43*H40*T4cm	W43*H40*T4cm	W43*H40*T4cm	W44*H40*T2cm	W44*H40*T4cm	W44*H40*T2cm	W44*H40*T2cm	W44*H40*T2cm
14	Front Wheel	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	8inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	8inch(solid)
15	Rear Wheel	10inch(solid)	12inch(solid)	10inch(solid)	12.5inc(pneumatic)	12.5inc(pneumatic)	12.5inc(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	24inch(pneumatic)	22inch(pneumatic)	12inch(pneumatic)
16	Size(Unfolded)	96*63*97cm	92*62*93cm	109*61*100	108*63*96cm	120*63*96cm	108*63*96cm	115*65*95cm	115*65*95cm	120*67*100cm	115*65*95cm	115*65*95cm
17	Size(Folded)	63*37*76cm	54*32*89cm	60*42*76cm	85*38*63cm	85*46*63cm	85*63*46cm	82*40*71	82*40*71cm	84*50*75cm	84*40*70cm	80*40*66cm
18	Packing Size	67*40*80cm	58*34*93cm	85*35*77cm	90*68*43	90*68*50cm	92*70*53	85*43*78cm	85*43*78cm	95*48*78cm	85*43*78cm	85*43*78cm
19	G.W.	29KG	21KG	33KG	39KG	40KG	105KG	50KG	50KG	50KG	50KG	50KG
20	N.W.(with battery)	26KG	16KG	27KG	35KG	36KG	96KG	46KG	48KG	47KG	46KG	42KG
21	N.W.(without battery)	24KG	14.8KG	25KG	30.5KG	31.5KG	87KG	36KG	38KG	37KG	36KG	32KG

No.	Item	BC-ES580	BC-ES6003	BC-ES6003A	BC-ES600102	BC-ES6002	BC-ES600202	BC-ES600203	BC-ES6011	BC-ES601102	BC-ES660Q	BC-ES680M
Photo H.S Code: 8713900000												
		Electric front drive	Classic high back reclining	High back reclining + shock absorption spring	Alloy rear wheel	Alloy rear wheel	Electric front drive +Alloy wheel	Upgrade aluminum alloy 24 inc wheel	USA Amazon Top 3			All electric control
EXW (Sample Price)		\$300.00	\$330.00	\$350.00	\$320.00	\$330.00	\$340.00	\$340.00	\$370.00	\$340.00	\$350.00	\$480.00
Container Loading Quantity 20GP / 40GP / 40HQ Set		95 / 190 / 225	80/ 163 / 192	80/ 163 / 192	95 / 190 / 225	96 / 195 / 231	83 / 169 / 199	83 / 169 / 199	104 / 212 / 249	115 / 235 / 275	80/ 163 / 192	80/ 163 / 192
FOB Tianjin / Shanghai 20GP / 40GP / 40HQ Set		\$290 / \$285 / \$280	\$320 / \$310 / \$300	\$335 / \$320 / \$305	\$310 / \$300 / \$290	\$320 / \$310 / \$300	\$330 / \$315 / \$305	\$330 / \$315 / \$305	\$360 / \$340 / \$320	\$330 / \$315 / \$305	\$335 / \$320 / \$310	\$465 / \$455 / \$445
1	Motor	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush	250W*2 Brush
2	Battery	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid	24V 12Ah Lead-acid
3	Charger(Can customize different standard plugs)	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V	AC110-240V 50-60Hz Output: 24V
4	Controller	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	360° Joystick	Import 360° Joystick	360° Joystick	360° Joystick	360° Joystick
5	Max Loading	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG	130KG
6	Charging Time	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h	6-8h
7	Forward Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
8	Reverse Speed	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h	0-6km/h
9	Turning Radius	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm	60cm
10	Climbing Ability	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°	≤13°
11	Driving Distance	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km	20-25km
12	Seat	W44*L50*T2cm	W44*L50*T4cm	W44*L50*T4cm	W44*L50*T4cm	W44*L50*T4cm	W44*L48*T4cm	W44*L48*T4cm	W44*L47*T2cm	W44*L47*T2cm	W44*L50*T4cm	W44*L50*T4cm
13	Backrest	W44*H40*T2cm	W44*H80*T4cm	W44*H80*T4cm	W44*H80*T4cm	W44*H80*T4cm	W44*H40*T4cm	W44*H40*T4cm	W44*H40*T2cm	W44*H40*T2cm	W44*H80*T4cm	W44*H80*T4cm
14	Front Wheel	16inch(pneumatic)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	16inch(pneumatic)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)	10inch(solid)
15	Rear Wheel	10inch(solid)	16inch(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	10inch(solid)	24inch(pneumatic)	16inch(pneumatic)	16inch(pneumatic)	22inch(pneumatic)	16inch(pneumatic)
16	Size(Unfolded)	115*65*95cm	122*65*128cm	122*65*128cm	115*65*95cm	119*68*95cm	119*68*95cm	119*68*95cm	115*65*92cm	112*62*90cm	122*65*128cm	122*65*128cm
17	Size(Folded)	92*45*72cm	82*40*71cm	82*40*71cm	82*40*71cm	88*39*79cm	88*39*79cm	88*39*79cm	82*38*69cm	79*34*75cm	84*40*70cm	82*40*71cm
18	Packing Size	85*43*78cm	87*48*80cm	87*48*80cm	85*43*78cm	85*41*81cm	92*43*83cm	92*43*83cm	84*40*83.5CM	82*37*78cm	87*47*80cm	87*47*80cm
19	G.W.	50KG	53KG	53KG	50KG	42KG	42KG	42KG	40KG	40KG	54KG	55KG
20	N.W.(with battery)	45KG	49KG	49KG	48KG	38KG	38KG	38KG	36KG	36KG	49KG	50KG
21	N.W.(without battery)	35KG	39KG	39KG	38KG	34KG	34KG	34KG	32KG	32KG	39KG	40KG

Note:

1. Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. These specifications can be subject to a variance of (+/- 10%).
2. Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of (+/- 3%).

	Headrest(upgrade)	Remote Control	Shopping Basket	Shopping Basket	Cup Holder	Phone Holder	USB + light Module	Travel Bag	Thickened Cushion	Rear Seat	Rear Seat(foldable)
Accessories											
Price(USD)	\$45.00	\$35.00	\$25.00	\$10.00	\$5.00	\$5.00	\$20.00	\$30.00	\$60.00	\$60.00	\$120.00
Applicable model	All model Except BC-ES6003, BC-ES6003A, BC- ES660Q, BC- ES680M, BC-EA09, BC-EA10	BC-EA8000, BC- EA530C, BC-EA530M	All aluminum model (Model No with EA)	All model	All model	All model	All model Except BC-EALD3, BC-EA106, BC- EA6029, BC-EA108, BC-EATL1, BC- EA5513, BC-EA530X	All model	All model	All model Need add shipping cost	All model Need add shipping cost

	2pcs 6.6Ah Battery (lithium)	20Ah Battery (lithium)
Upgrade Battery & Motor & function		
ADD Price(USD)	\$68.00	\$75.00
Applicable model	BC-EA8000, BC- EA530C, BC-EA530M	BC-EA8000, BC- EA530C, BC-EA530M

Color				
				
All model Red , Black , Golden , Yellow , Blue and others color can be Customer customization				
Request : MOQ (Contact us)				

